
Professor John Rayner

Publications

(i) Books

- [6] RAYNER, J.C.W., THAS, O. and BEST, D.J. (2009). *Smooth Tests of Goodness of Fit: Using R* (2nd ed.). Singapore: Wiley.
- [5] RAYNER, J.C.W., BEST, D.J., BROCKHOFF, P.B. and RAYNER, G.D. (2005). *Nonparametrics For Sensory Science: A More Informative Approach*. Ames: Blackwell.
- [4] RAYNER, J.C.W. and BEST, D.J. (2001). *A Contingency Table Approach to Nonparametric Testing*. Boca Raton: Chapman & Hall/CRC.
- [3] RAYNER, J.C.W. (2000). *Writing Projects, Reports, Theses and Papers in Mathematics and Statistics*. School of Mathematics and Applied Statistics, University of Wollongong: <http://www.uow.edu.au/informatics/maths/post/writing.pdf>, June, 23 pages.
- [2] RAYNER, J.C.W. and BEST, D.J. (1989). *Smooth Tests of Goodness of Fit*. New York: Oxford University Press.
- [1] RAYNER, J.C.W. (1988). *School Projects in Mathematics and Statistics*. Dunedin: New Zealand Statistical Association.

(ii) Edited Proceedings and Journal Special Editions

- [5] RAYNER, J.C.W., THAS, O. and BEST, D.J. (Eds.). (2009). *Modern Goodness of Fit Methods*. Special Issue of the *Journal of Statistical Theory and Practice*. To appear.
- [4] BEH, Eric, J., CLARK, Robert G. and RAYNER, J.C.W. (Eds.). (2005). *Proceedings of the 2004 Workshop on Research Methods: Statistics and Finance*. University of Wollongong: University of Wollongong School of Mathematics and Applied Statistics. December 2005.
- [3] RAYNER, J.C.W., MENGERSON, K.L. and BEST, D.J. (Eds.). (2003). Statistical Education, Australia. Special Edition of the *Journal of Applied Mathematics and Decision Sciences*. 7(2), June, 70 pages.
- [2] RAYNER, J.C.W., MISHRA, S. and BEST, D.J. (Eds.). (2002). SCRA 2001-FIM IX Wollongong, Australia. Special Edition of the *Journal of Applied Mathematics and Decision Sciences*, 6(4), December, 69 pages.
- [1] GULATI, C.M., LIN, X-Y, RAYNER, J.C.W. and MISHRA, S.N. (Eds.) (2002). *Advances in Statistics, Combinatorics and Related Areas, Selected Papers from SCRA2001-FIM VIII, Proceedings of the Wollongong Conference, University of Wollongong, Australia 19 - 21 December 2001*. Singapore: World Scientific Press, 369 pages.

(iii) Articles In Refereed Journals, Book Chapters and Encyclopaedias

- [121] RAYNER, J.C.W. and BEH, Eric J. (2009). Towards a Better Understanding of Correlation. To appear in *Statistica Neerlandica*. Accepted March 7, 2009.
- [120] THAS, O., RAYNER, J.C.W., BEST, D.J. and De BOECK, B. (2009). Informative statistical analyses using smooth goodness of fit test. To appear in the *Journal of Statistical Theory and Practice*, Special Issue on *Modern Goodness of Fit Methods*. eds. RAYNER, J.C.W., THAS, O. and BEST, D.J., Greensboro, North Carolina: Grace Scientific Publishing.
- [119] RAYNER, J.C.W., THAS, O. and BEST, D.J. (Eds.). (2009). *Modern Goodness of Fit Methods*. To appear in the *Journal of Statistical Theory and Practice*, Special Issue on *Modern Goodness of Fit Methods*. eds. RAYNER, J.C.W., THAS, O. and BEST, D.J., Greensboro, North Carolina: Grace Scientific Publishing.

- [118] RAYNER, J.C.W. and CAROLAN, A.M. (2009). Partially Parametric Testing. To appear in the *Journal of Statistical Theory and Practice*, Special Issue on *Modern Goodness of Fit Methods*. eds. RAYNER, J.C.W., THAS, O. and BEST, D.J., Greensboro, North Carolina: Grace Scientific Publishing.
- [117] RAYNER, J.C.W., BEST, D.J. and THAS, O. (2009). Generalised Smooth Tests of Goodness of Fit. To appear in the *Journal of Statistical Theory and Practice*, Special Issue on *Modern Goodness of Fit Methods*. eds. RAYNER, J.C.W., THAS, O. and BEST, D.J., Greensboro, North Carolina: Grace Scientific Publishing.
- [116] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2008). Anscombe's Tests of Fit for the Negative Binomial Distribution. To appear in the *Journal of Statistical Theory and Practice*, Special Issue on *Modern Goodness of Fit Methods*. eds. RAYNER, J.C.W., THAS, O. and BEST, D.J., Greensboro, North Carolina: Grace Scientific Publishing.
- [115] RAYNER, J.C.W., THAS, O. and De BOECK, B. (2008). A generalised Emerson recurrence relation. *Australian and NZ Journal of Statistics*, 50 (3), 235-240.
- [114] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2008). Comparison of Some Tests of Fit for the Laplace Distribution. *Computational Statistics and Data Analysis*, 52 (12), 5338-5343.
- [113] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2008). Tests of Fit for the Logarithmic Distribution. *Journal of Applied Mathematics and Decision Sciences*. Article ID 463781, 8 pages, doi:10.1155/JAMDS/2008/463781.
- [112] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2008). X^2 and Its Components as Tests of Normality for Grouped Data. *Journal of Applied Statistics*, 35(5), 481-492.
- [111] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2007). Comparison of five tests of fit for the extreme value distribution. *Journal of Statistical Theory and Practice*, 1(1), 89-99.
- [110] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2007). Goodness of fit for the zero truncated Poisson distribution. *Journal of Statistical Computation and Simulation*, 77(7), 585-591. 2006 Impact Factor: 0.215; 2006 Cited Half-Life: 9.6 years.
- [109] BEST, D.J. and RAYNER, J.C.W. (2007). Chi-squared components as tests of fit for the grouped exponential distribution. *Computational Statistics & Data Analysis*, 51, 3946-3954.
- [108] BEST, D.J., RAYNER, J.C.W. and THAS, O. (2006). Nonparametric Analysis of Blocked Ordered Categories Data: Some Examples Revisited. *Journal of Applied Mathematics and Decision Sciences*, 10th Anniversary Special Issue. Article ID 31089, 9 pages, doi:10.1155/JAMDS/2006/31089.
- [107] BEST, D.J. and RAYNER, J.C.W. (2006). Improved testing for the binomial distribution using chisquared components with data dependent cells. *Journal of Statistical Computation and Simulation*, 76 (1), 75-81.
- [106] BEST, D.J., BROCKHOFF, P.B. and RAYNER, J.C.W. (2006). Tests for balanced incomplete block ranked data with ties. *Statistica Neerlandica* 60(1), 3-11.
- [105] THAS, O., RAYNER, J.C.W., and BEST, D.J. (2005). Tests for symmetry based on the one-sample Wilcoxon sign rank statistic. *Communications in Statistics - Simulation and Computation*, 34(4), 957-973.
- [104] THAS, O. and RAYNER, J.C.W. (2005). Smooth tests for the zero inflated Poisson distribution. *Biometrics*, 61 (3), 808-815.
- [103] RAYNER, J.C.W. and THAS, O. (2005). More informative testing for bivariate symmetry. *Australian and NZ Journal of Statistics*, 47 (2), 211-217.
- [102] RAYNER, J.C.W. and THAS, O. (2005). Smooth modeling: parsimonious and informative assessment of statistical models. *Proceedings of the 2004 Workshop on Research Methods: Statistics and Finance*, eds. Beh, Eric, J., Clark, Robert G. and Rayner, J.C.W., University of Wollongong: School of Mathematics and Applied Statistics, 31-39.
- [101] BEST, D.J. and RAYNER, J.C.W. (2005). Improved testing for the Poisson distribution using

chisquared components with data dependent cells. *Communications in Statistics - Simulation and Computation*, 34 (1), 85-96.

- [100] BEST, D.J. and RAYNER, J.C.W. (2005). Using chi-squared components as tests of fit for the negative binomial distribution. *Proceedings of the 2004 Workshop on Research Methods: Statistics and Finance*, eds. Beh, Eric, J., Clark, Robert G. and Rayner, J.C.W., University of Wollongong: School of Mathematics and Applied Statistics, 1-9.
- [99] RAYNER, J.C.W., RUSSELL, K.G. and THAS, O. (2004). More informative new nonparametric testing for important experimental designs. Chapter 12 in *Current Research in Modelling, Data Mining and Quantitative Techniques*, eds. Pemajayantha, V., Mellor, R. W., Peiris, S. and Rajasekera, J. R., Blacktown: Modelling and Simulation Research, 157-171. (ISBN 0-9751599-0-9)
- [98] DAVY, P.J., RAYNER, J.C.W., and BEH, E.J. (2004). Generalised correlations and Simpson's paradox. UWS Workshop December 2003. Chapter 5 in *Current Research in Modelling, Data Mining and Quantitative Techniques*, eds. Pemajayantha, V., Mellor, R. W., Peiris, S. and Rajasekera, J. R., Blacktown: Modelling and Simulation Research, 63-73. (ISBN 0-9751599-0-9)
- [97] BROCKHOFF, P.B., BEST, D.J. and RAYNER, J.C.W. (2004). Extended analysis for ranked data with ties. UWS Workshop December 2003. Chapter 14 in *Current Research in Modelling, Data Mining and Quantitative Techniques*, eds. Pemajayantha, V., Mellor, R. W., Peiris, S. and Rajasekera, J. R., Blacktown: Modelling and Simulation Research, 193-201. (ISBN 0-9751599-0-9)
- [96] BROCKHOFF, P.B., BEST, D.J. and RAYNER, J.C.W. (2004). Partitioning Anderson's statistic for tied data. *J. Statist. Planning Infer.*, 121, 1, 93-111.
- [95] BROCKHOFF, P.B., BEST, D.J. and RAYNER, J.C.W. (2004). An application of extended analysis for ranked data with ties. *Aust. N.Z.J. Stat.*, 46(2), 197-204.
- [94] BEST, D.J. and RAYNER, J.C.W. (2003). Tests of fit for the geometric distribution. *Communications in Statistics, Simulation and Computation*, 32 (4), 1065-1078. School of Mathematics and Applied Statistics Preprint 10/02.
- [93] RAYNER, J.C.W. and MATHER, K. (2002). Testing equality of corresponding variances from multiple covariance matrices. In *Advances in Statistics, Combinatorics and Related Areas*. Chandra Gulati, Yan-Xia Lin, Satya Mishra and John Rayner (eds). Singapore: World Scientific Press, 157-166. (ISBN 981-238-201-1)
- [92] RAYNER, J.C.W. and BEST, D.J. (2002). Using contingency tables to construct both traditional and new nonparametric tests. In *Advances in Statistics, Combinatorics and Related Areas*. Chandra Gulati, Yan-Xia Lin, Satya Mishra and John Rayner (eds). Singapore: World Scientific Press, 247-257. (ISBN 981-238-201-1)
- [91] BEST, D.J. and RAYNER, J.C.W. (2002). Chisquared components as tests of fit for discrete distributions. In *Advances in Statistics, Combinatorics and Related Areas*. Chandra Gulati, Yan-Xia Lin, Satya Mishra and John Rayner (eds). Singapore: World Scientific Press, 23-31. (ISBN 981-238-201-1)
- [90] RAYNER, G.D. and RAYNER, J.C.W. (2001). Power of the Neyman smooth tests for the uniform distribution. *Journal of Applied Mathematics and Decision Sciences*, 5(3), 181-191.
- [89] RAYNER, J.C.W. and BEST, D.J. (2001). Goodness-of-fit tests and diagnostics. In *International Encyclopedia of Social and Behavioral Sciences*, Smelser, N.J. & Bates, P.B. (editors), Volume 9, pp. 6305-6310, Oxford: Pergamon.
- [88] RAYNER, J.C.W. (2001). Partially parametric testing. Chapter 32 in *Goodness-of-Fit Tests and Validity of Models*, eds. Huber-Carol, C., Balakrishnan, N., Nikulin, M. S. and Mesbah, M., Boston: Birkhauser, 423-431. (ISBN 0-8176-4209-9)

- [87] CAROLAN, A.M. and RAYNER, J.C.W. (2001). One sample tests for the location of modes of nonnormal data. *Journal of Applied Mathematics and Decision Sciences*, 5(1), 1-19.
- [86] BEST, D.J. and RAYNER, J.C.W. (2001b). Application of the Stuart test to sensory evaluation data. *Food Quality and Preference*, 12, 5-7, 353-357.
- [85] BEST, D.J. and RAYNER, J.C.W. (2001a). Nonparametric analysis for trinary sensory data. *Journal of Sensory Studies*, 16, 249-260.
- [84] RAYNER, J.C.W. and BEST, D.J. (2000). Analysis of singly ordered two-way contingency tables. *Journal of Applied Mathematics and Decision Sciences*, Volume 4(1), 83-98.
- [83] LAI, C.D., JONES, G. and RAYNER, J.C.W. (2000). On a bivariate gamma mixture distribution. *Commun. Statist.-Theor. Meth.*, 29(12), 2775-2790.
- [82] JONES, G., LAI, C.D. and RAYNER, J.C.W. (2000). Some results for a chain binomial model. *Mathematical Scientist*, 25(2), 94-99.
- [81] CAROLAN, A.M. and RAYNER, J.C.W. (2000b). Wald tests of location for symmetric nonnormal data. *Biometrical Journal*, 42(6), 777-792.
- [80] CAROLAN, A.M. and RAYNER, J.C.W. (2000a). One sample tests of location for nonnormal symmetric data. *Commun. Statist.-Theor. Meth.*, 29(7), 1569-1581.
- [79] BEST, D.J., RAYNER, J.C.W. and O'SULLIVAN, M.G. (2000). Product Maps for consumer categorical data. *Food Quality and Preference*, 11, 91-97.
- [78] BEST, D.J. and RAYNER, J.C.W. (2000). Extended statistical analysis of ranked data from balanced incomplete block and paired comparison designs. *Journal of Sensory Studies*, 15, 4, 383-392.
- [77] RAYNER, J.C.W. and BEST, D.J. (1999c). Nonparametric tests for randomised blocks with ordered alternatives. *Journal of Applied Mathematics and Decision Sciences*, 3, 2, 143-153.
- [76] RAYNER, J.C.W. and BEST, D.J. (1999b). Modelling ties in the sign test. *Biometrics*, 55, 2, 663-666.
- [75] RAYNER, J.C.W. and BEST, D.J. (1999a). Contingency tables, ordered. In *Encyclopedia of Statistical Sciences*, Update Volume 3, Eds. Kotz, S., Read, C.B. and Banks, D.L., 125-129, New York: Wiley.
- [74] LAI, C-D, RAYNER, J.C.W. and HUTCHINSON, T.P. (1999). Robustness of the Sample Correlation--The Bivariate Lognormal Case. *Journal of Applied Mathematics and Decision Sciences*, Volume 3(1), 7-19.
- [73] BEST, D.J., RAYNER, J.C.W. and O'SULLIVAN, M. (1999). Product maps for sensory ranking and categorical data. Chapter 13 in *Tastes and Aromas: The Chemical Senses in Science and Industry*. G.A. Bell and A. J. Watson (Eds.) Sydney: UNSW Press, pp.114-119. (ISBN 0 86840 769 0)
- [72] BEST, D.J. and RAYNER, J.C.W. (1999). Goodness of fit for the Poisson distribution. *Statistics and Probability Letters*, 44, 259-265.
- [71] RAYNER, J.C.W. and RAYNER, G.D. (1998). S-sample smooth goodness of fit tests: Rederivation and Monte Carlo Assessment. *Biometrical Journal*, 40, 651-663.
- [70] RAYNER, J.C.W. and DAVY, P.J. (1998). Ordinary and inverse sampling in the trinomial. *Mathematical Scientist*, 23(1), 50-53.
- [69] RAYNER, J.C.W. and CAROLAN, A. (1998). Assessing robustness of the one sample t-test. ICOTS 5. In the *Proceedings of the Fifth International Conference on Teaching of Statistics*, Pereira-Mendoza, L. et al. ed., Volume 3, pp. 1225-1232.
- [68] LAI, C-D, RAYNER, J.C.W. and HUTCHINSON, T.P. (1998). Properties of the sample correlation of the bivariate lognormal distribution. In the *Proceedings of the Fifth International*

Conference on Teaching of Statistics, Pereira-Mendoza, L. et al. ed., Volume 1, pp. 309-316.

- [67] BEST, D.J., RAYNER, J.C.W. and STEPHENS, L.G. (1998). Small-sample comparison of McCullagh and Nair analyses for nominal-ordinal categorical data. *Computational Statistics and Data Analysis*, 28(2), 217-223.
- [66] BEST, D.J. and RAYNER, J.C.W. (1998). Nonparametric analysis of ordinal categorical data with factorial response. *Appl. Statist.*, 47, Part 3, 439-446.
- [65] RAYNER, J.C.W. and RAYNER, G.D. (1997). S -sample smooth goodness of fit tests. *Mathematical Scientist*, 22(2), 106-116.
- [64] RAYNER, J.C.W. and BEST, D.J. (1997c). Singly ordered two-way contingency tables. *N.Z. Statist.*, 32, 2, 23-29.
- [63] RAYNER, J.C.W. and BEST, D.J. (1997b). How order affects the sign test. *Biometrics*, 53(4), 1416-1421.
- [62] RAYNER, J.C.W. and BEST, D.J. (1997a). Extensions to the Kruskal-Wallis test and a generalised median test with extensions. *Journal of Applied Mathematics and Decision Sciences*, 1(1), 13-25.
- [61] RAYNER, J.C.W. (1997). The Asymptotically Optimal Tests. *J.R.S.S., Series D (The Statistician)*, 46(3), 337-346.
- [60] BEST, D.J. and RAYNER, J.C.W. (1997d). Goodness of fit for the binomial distribution. *Aust. J. Statist.*, 39(3), 355-364.
- [59] BEST, D.J. and RAYNER, J.C.W. (1997c). Crockett's Test of fit for the bivariate Poisson. *Biometrical Journal*, 39(4), 423-430.
- [58] BEST, D.J. and RAYNER, J.C.W. (1997b). Product maps for ranked preference data. *J.R.S.S., Series D (The Statistician)*, 46(3), 347-354.
- [57] BEST, D.J. and RAYNER, J.C.W. (1997a). Goodness of fit for the ordered categories discrete uniform distribution. *Commun. Statist.-Theor. Meth.*, 26(4), 899-909.
- [56] RAYNER, J.C.W. and CHAN, W.K. (1996). Testing for an exponential scale shift with model failure. In the *Proceedings of the A.C. Aitken Centenary Conference, Dunedin 1995*. Kavalieris, L. et al. ed., pp. 267-275. Dunedin: University of Otago Press.
- [55] RAYNER, J.C.W. and BEST, D.J. (1996b). Extensions to some important nonparametric tests. In the *Proceedings of the A.C. Aitken Centenary Conference, Dunedin 1995*. Kavalieris, L. et al. ed., pp. 257-266. Dunedin: University of Otago Press.
- [54] RAYNER, J.C.W. and BEST, D.J. (1996a). Smooth extensions of Pearson's product moment correlation and Spearman's rho. *Statistics and Probability Letters*, 30(2), 171-177.
- [53] DAVY, P.J. and RAYNER, J.C.W. (1996). Multivariate geometric distributions. *Commun. Statist.-Theor. Meth.*, 25(12), 2971-2987.
- [52] BEST, D.J. and RAYNER, J.C.W. (1996). Nonparametric analysis for doubly ordered two-way contingency tables. *Biometrics*, 52, 1153 - 1156.
- [51] RAYNER, J.C.W., BEST, D.J. and MATHEWS, K.L. (1995). Interpreting the skewness coefficient. *Commun. Statist.-Theor. Meth.*, 24(3), 593-600.
- [50] RAYNER, J.C.W. and BEST, D.J. (1995). Smooth tests for the bivariate Poisson. *Aust. J. Statist.*, 37(2), 233-245.
- [49] RAYNER, J.C.W. (1994). Estimating Saddam's Arsenal. *N.Z. Statist.*, 29, 2, 59-65.
- [48] BEST, D.J., GRAHAM, D. and RAYNER, J.C.W. (1994). Estimating correlation from categorised bivariate normal data. *J. Statist. Comput. Simul.*, 49, 3, 141-149.
- [47] RAYNER, J.C.W. (1992b). Assumptions are important: the paired t test versus the pooled t test. *Teaching Statistics*, 15, 1, 15-17.

- [46] RAYNER, J.C.W. (1992a). The effect of categorisation on Latin squares and BIB designs. *Biometrical Journal*, 34, 1, 37-55.
- [45] RAYNER, J.C.W., BEST, D.J. and LIDDELL, G.F. (1991). Optimal testing in a three way random effects ANOVA model. *Commun. Statist. - Simula.*, 20, 2, 411-425.
- [44] RAYNER, J.C.W. and BEST, D.J. (1991). What divisor for the sample variance? *Teaching Statistics*, 13, 3, 85-87.
- [43] RAYNER, J.C.W. (1991). The comparison of usage and availability measurements by components of Pearson's goodness of fit test. *N.Z. Statist.*, 26, 2, 50-55.
- [42] BEST, D.J. and RAYNER, J.C.W. (1991). Disease clustering in time. *Biometrics*, 47, 589-593.
- [41] RAYNER, J.C.W., MANLY, B.F.J. and LIDDELL, G.F. (1990). Hierarchic likelihood ratio tests for equality of covariance matrices. *J. Statist. Computat. Simulat.*, 35, 91-99.
- [40] RAYNER, J.C.W. and McALEVEY, L.G. (1990). Smooth goodness of fit tests for categorised composite null hypotheses. *Statistics and Probability Letters*, 9, 423-429.
- [39] RAYNER, J.C.W. and BEST, D.J. (1990). A comparison of some rank tests used in taste-testing. *J. Royal Society of N.Z.*, 30, 2, 269-272.
- [38] RAYNER, J.C.W. and BEST, D.J. (1990). Smooth tests of goodness of fit: an overview. *International Statistical Review*, 58, 1, 9-17.
- [37] RAYNER, J.C.W. and BEST, D.J. (1989). Goodness of fit for the geometric distribution. *Biometrical Journal*, 31, 307-311.
- [36] RAYNER, J.C.W. (1989). The cereal card problem. *N.Z. Statist.*, 24, 1, 22-23.
- [35] MANLY, B.F.J. and RAYNER, J.C.W. (1989). Comments on Lachenbruch and Flack. *Commun. Statist. - Simula.*, 18(4), 1251-1274.
- [34] RAYNER, J.C.W. and SEYB, A.J. (1988). ANOVA under categorisation. *J. Statist. Computat. Simulat.*, 29, 3, 181-193.
- [33] RAYNER, J.C.W., and BEST, D.J. (1988). Smooth tests of goodness of fit for regular distributions. *Commun. Statist.-Theor. Meth.*, 17, 3235-3267.
- [32] BEST, D.J. and RAYNER, J.C.W. (1988). Testing for bivariate normality. *Statistics and Probability Letters*, 6, 407-412.
- [31] RAYNER, J.C.W. and SHANKS, J.A. (1987). The redundant hypergeometric distribution. *Int. J. Math. Educ. Sci. Technol.*, 18, 2, 287-295.
- [30] RAYNER, J.C.W. (1987). Constructing a useable overlapping X^2 test. *Statistics and Probability Letters*, 6, 257-261.
- [29] MANLY, B.F.J. and RAYNER, J.C.W. (1987). The comparison of sample covariance matrices using likelihood ratio tests. *Biometrika*, 74, 4, 841-847.
- [28] BEST, D.J. and RAYNER, J.C.W. (1987b). Goodness-of-fit for grouped data using components of Pearson's X^2 . *Comp. Statist. Data Analysis*, 5, 53-57.
- [27] BEST, D.J. and RAYNER, J.C.W. (1987a). Welch's approximate solution for the Behrens-Fisher problem. *Technometrics*, 29, 205-210.
- [26] RAYNER, J.C.W., DODDS, K.G. and BEST, D.J. (1986). The effect of categorisation on a simple analysis of variance model. *Biometrical Journal*, 28, 159-170.
- [25] RAYNER, J.C.W. and BEST, D.J. (1986). Neyman-type smooth tests for location-scale families. *Biometrika*, 73, 437-446.
- [24] RAYNER, J.C.W. (1986b). Elementary probability in some popular games. *N.Z. Statist. Assoc. Newsletter*, 10 (April), 1-2.
- [23] RAYNER, J.C.W. (1986a). X^2 and the smooth goodness of fit tests. *N.Z. Statist.*, 21, 2, 31-42.

- [22] RAYNER, J.C.W. and McINTYRE, R.I. (1985). Use of the score statistic for testing goodness-of-fit of some generalised distributions. *Biometrical Journal*, 27, 159-166.
- [21] RAYNER, J.C.W., BEST, D.J. and DODDS, K.G. (1985). The construction of the simple X^2 and Neyman smooth goodness of fit tests. *Statistica Neerlandica*, 39, 35-50.
- [20] RAYNER, J.C.W. and BEST, D.J. (1985). The effect of categorisation on testing for an exponential scale shift. *J. Statist. Planning Infer.*, 11, 197-206.
- [19] RAYNER, J.C.W. (1985b). Bias of the Pearson chi-squared test. *J. Statist. Comput. Simul.*, 21, 329-331.
- [18] RAYNER, J.C.W. (1985a). Maximum likelihood estimation of mu and sigma from a multivariate normal distribution. *American Statist.*, 39, 2, 123-124. See also Letters to the Editor, *American Statist.*, 39, 4, 325-327.
- [17] BEST, D.J., and RAYNER, J.C.W. (1985c). Lancaster's test of normality. *J. Statist. Planning Infer.*, 12, 395-400.
- [16] BEST, D.J. and RAYNER, J.C.W. (1985b). Uniformity testing when alternatives have low order. *Sankhya*, A, 47(1), 25-35.
- [15] BEST, D.J. and RAYNER, J.C.W. (1985a). A comparison of the MPN and Fisher-Yates estimators for the density of organisms. *Biometrical Journal*, 27, 167-172.
- [14] RAYNER, J.C.W. and SHANKS, J.A. (1984). Extension exercises in elementary combinatorics. *N.Z. Statist.*, 19, 2, 41-50.
- [13] RAYNER, J.C.W. (1984). Dots and lines. *N.Z. Maths. Mag.*, 21, 3-5.
- [12] RAYNER, J.C.W. and de ROOS, P. (1983). What confidence in confidence intervals? *N.Z. Statist.*, 18, 1, 29-32.
- [11] BEST, D.J., RAYNER, J.C.W. and TURNBULL, A. (1983). Power approximations for Pearson's chi-squared test. *Statcomp. 83 papers*, 41-49.
- [10] RAYNER, J.C.W. and BEST, D.J. (1982). The choice of class probabilities and number of classes for the simple X^2 goodness of fit test. *Sankhya*, B, 22, 1, 28-38.
- [9] RAYNER, J.C.W. (1982). Relating discrete and continuous expectations. *N.Z. Statist.*, 17, 2, 9-11.
- [8] BEST, D.J. and RAYNER, J.C.W. (1982). Partitioning the equiprobable X^2 statistic for testing uniformity. *N.Z. Statist.*, 17, 1, 29-33.
- [7] RAYNER, J.C.W. and BEST, D.J. (1981). On Huhn's notion of optimal sample size in the X^2 goodness of fit test. *Biometrical Journal*, 23, 7, 705-707.
- [6] RAYNER, J.C.W. (1981b). Constructing optimal univariate tests. *Commun. Statist.-Theor. Meth.*, 11, 1903-1917.
- [5] RAYNER, J.C.W. (1981a). Bounds for the sample standard deviation. *N.Z. Statist.*, 16, 1, 42-43.
- [4] BEST, D.J. and RAYNER, J.C.W. (1981b). Are two classes enough for the X^2 goodness of fit test? *Statistica Neerlandica*, 35, 157-163.
- [3] BEST, D.J. and RAYNER, J.C.W. (1981a). A note on Mineo's grouping method for the chi-square test of goodness of fit. *Scand. J. Statist.*, 8, 185-186.
- [2] RAYNER, J.C.W. (1976). "Randomisation = fudging". *N.Z. Statist.*, 11, 1, 21-24.
- [1] RAYNER, J.C.W. (1975). Variance Bounds. *Sankhya*, B, 37, 1, 135-138.
-